

INTRODUCTION



Our production facility was founded in 2016, marking the beginning of our journey under the guidance of Mr. Pradeep Kr. Jalan, supported by the dedicated contributions of Mr. Prasant Jalan, (MBA) and Mr. Vijay Jalan (CA).

Through our accumulated expertise, loyal clientele and contented customers, we have risen to prominence as a premier manufacturer of paver blocks, cover blocks, checkered tiles & other RCC products.

VISION

We thrive to be recognized for our commitment towards innovation, excellence in artisanship, and our dedication to customer experience. We aspire to pioneer advancements in the construction materials industry and setting new benchmark of industry standards.



MISSION

We aim to consistently deliver high-quality products to meet the diverse needs while ensuring environmental sustainability and contributing to the development of infrastructure projects in the Indian constructions footprint.


VALUES



Quality

Commitment to delivering high-quality products.

Integrity

Conducting business with honesty and transparency.

Innovation

Embracing continuous improvement and technological advancement.



WAYS OF WORKING

At the client's request, Parmeshwari Enterprises offers solutions of customization of product design and also provides man-power assistance for laying paver blocks, tiles, etc.

LOGISTICS

In the endeavour of providing the highest degree of customer satisfaction, Parmeshwari Enterprises takes full responsibility for the products purchased by the client until they gets delivered at the designate location prescribed by the client.

FOUNDATION & PRESENCE

Our manufacturing facilities are situated at two key locations of West Bengal, Purulia and Burdwan, to ensure highest quality products for our customers.



Manufacturing Capacity

Headquartered in Purulia (WB), we are growing at an exponential rate not only in terms of market share but also in technological innovations.




Cover Block

We are the largest cover block manufacturer in India, with our monthly production capacity reaching 100 lakh cover blocks. We are also the registered manufacturers of Nuvoco Vistas Corporation Ltd. (ZERO M COVER BLOCKS). With our own chain of supply and logistics, catering to the Pan India market. We also specialize in manufacturing of M60 grade cover & paver blocks. Our commitment has paved the way for us to become the most preferred vendor of Larsen & Toubro Ltd. for all their vital and important projects in India, specifically for their cover block and precast items.

Checkered Tiles & Tac Tiles


With a manufacturing capacity of 6,000 sq. ft. per day, our checkered tiles and tac tiles currently covers almost 80% of railway stations in Eastern Indian railways.





Paver Blocks

One of the biggest paver block manufacturer in Eastern India with daily manufacturing & laying capacity of around 3,000 sq. mt. per day



Other Allied Works

We also have the capacity to take up job works such as landscape gardening, MS and SS grills manufacturing, and manufacturing of design specific RCC products as per client's preference.



STRENGTH & INGENUITY






Parmeshwari Enterprises has fully calibrated state-of-the-art BIS Certified testing facility.

The company challenges conventional methodology to provide the industry with the highest quality of products with state-of-the-art machinery, which comprises of batching plant, fully automatized paver block manufacturing plant with both vibro & hydraulic technology, automatic stacker unit along with JCB with loader.

Checker Tiles

Made using heavy duty concrete, these tiles are fibre reinforced which makes them sturdy and long lasting for platform usage. Great for exterior usage, these tiles can be used to create a striking accent for the required space.



Specification	Dimensions	Thickness	Shades	Features
• M50 grade concrete • As per USSOR (ISI marked)	• 300 X 300 • 450 X 450	• 25 mm • 30 mm • 30 mm	Red Yellow Grey Customisable	• High mechanical strength • Skid resistant • For pathways & platforms

Tac Tiles


Tac tiles are made using heavy-duty concrete, which are perfect for directional utility and is fibre reinforced with unique properties like unique anti-slip, high scratch resistance. Works excellently as ground surface indicators for visually impaired person, standardised design that conforms to international applicability.



Specification	Dimension	Thickness	Shade	Features
• M50 grade concrete • As per USSOR (ISI marked)	• 300 X 300	• 25 mm • 30 mm	Yellow	• High mechanical strength • Skid resistant • Guiding tiles for visually impaired • For pathways & platforms

Button Tiles


Parmeshwari Enterprises presents button tiles made from heavy-duty concrete, a collection of fully vitrified speciality tiles with unique slip, high scratch and chemical resistant properties. Ground surface indicators for visually impaired person, standardised design that conforms to international applicability.



Specification	Dimension	Thickness	Shade	Features
• M50 grade concrete • As per USSOR	• 300 X 300	• 25 mm • 30 mm	Yellow	• High mechanical strength • Skid resistant • Warning tiles for visually impaired • For pathways & platforms

Tarrazo Tiles

A magnificent selection of heavy-duty concrete terrazzo tiles that elevate elegance. Terrazzo tiles are adaptable and appropriate for both commercial and residential settings. Make use of them to accentuate the beauty of floors in living rooms, dining rooms and even outdoor spaces. Our carefully crafted and durable terrazzo tiles specification combines modern design with history to bring a touch of charm to any area.



Specification	Dimension	Thickness	Shades	Features
• M50 grade concrete • As per USSOR (ISI marked)	• 300 X 300	• 25 mm • 30 mm	Red Grey Customisable	• High mechanical strength • Skid resistant • For pathways & platforms

RCC Railway Bench

Manufactured by using M30 grade of concrete using vibro compaction process. Reinforced suitably to promote long use and to prevent damage during handling, transportation and erection. Each bench consists of 2 L-shaped base support in grey cement colour and 6 reinforced concrete plank. All parts are joined together with galvanized nuts & bolts of suitable sizes and all bolts are sealed after assembly. Bench top and back planks are treated with special anti-corrosive, waterproof coating so as to make surfaces glossy and waterproof.



Specification	Dimensions	Shades	Features
• M30 grade concrete	Bench seating length: **1,500 mm** Bench seating height: **450 mm** Total height: **1,000 mm**	Available in all shades	• Anti-corrosive coating • Waterproof coating • 3-seater capacity

RCC / SFRC / GFRC Drain Covers

Produced by Parmeshwari Enterprise, RCC / SFRC / GFRC Drain Covers, manufactured from precast concrete to confirm to the highest standards of quality. The drain covers facilitates storm water, drainage system, slurry system, industrial wastage system, irrigation channels, cable management system and to cover all other type of channels.



Features

- Customizable in all sizes
- High load-bearing capability

Cover Blocks

Parmeshwari Enterprise's range of multi-dimensional cover blocks are made from superior concrete. They are dimensionally accurate and used to ensure reinforcement for structural elements, both before and during concreting. All blocks confirms to the highest standards of quality.



Dimensions (sizes available)	
Slab & Footing: • 20 X 25 X 30 mm • 20 X 25 X 40 X 50 mm • 30 X 35 X 40 mm • 40 X 45 mm • 50 X 60 mm • 75 mm (pyramid)	**Piling:** • 50 mm round • 55 mm round • 75 mm round

Kerb Stones

Parmeshwari Enterprise's range of kerb stones are made using quality raw materials that are used at a large scale in the construction industry. Various testing are performed on all the kerb stones to maintain industry standards. All kerb stones confirms to the highest standards of quality.




Specification	Dimensions	Features
As per IS standards	• 300 X 300 X 100 • 300 X 300 X 150 • 450 X 300 X 100 • 450 X 300 X 150 • 250 X 300 X 165 mm • 200 X 200 X 150 mm	Customizable

Hexagon Blocks (LC Gates)

Parmeshwari Enterprise's range of hexagon blocks for LC gates are made from superior raw materials. They are dimensionally accurate and confirms to the highest standards of quality.



Specification	Thickness	Shapes
ISI marked	• 120 mm • 150 mm	

Copping Slab

Made from precast concrete, Parmeshwari coping stones are manufactured to confirm to the highest standards of quality using M30 Grade concrete by vibro compaction process using joint less FRP/GRP/Steel moulds as to achieve smooth finish on 5 faces. Reinforced with 8 mm (diameter) steel @150 mm c/c both ways.




Dimensions
11205 (l) X 530 (b) X 100 (h) mm

Paver Blocks

Parmeshwari Enterprise's range of multidimensional paver blocks are made from superior M30 concrete. They are dimensionally accurate. All blocks confirms to the highest standards of quality.

Coverage/sq. mt.	Thickness	Shades	Features
As per design	• 40 mm • 60 mm • 80 mm • 100 mm • 120 mm	Red Yellow Black Grey Customisable	• Customizable • High load bearing capability



Shapes

Zig Zag

I-Shaped

Hexagon

Oxford

Brick Shaped

Colorado

Customisable

CLIENTS

"People do not care how much you know, until they know how much you care."

~ Teddy Roosevelt

- Indian Railways
- IRCON International Limited
- Rail Vikas Nigam Limited
- Larsen & Toubro Limited
- Nuvoco Vistas Corporation Limited
- Shree Cement Limited
- Central Public Works Department
- Public Works Department
- Indian Air Force
- Kolkata Port Trust
- National Highway Authority of India
- Dineshchandra R. Agarwal Infracom
- Shapoorji Pallonji Group
- Montecarlo Limited
- Bridge & Roof Co. (India) Limited
- Government of West Bengal
- Government of Jharkhand
- Bharat Petroleum Corporation
- Indian Oil Corporation Limited
- Power Grid Corporation Limited
- WBSEDCL
- West Bengal Medical Services Corp.


INDIAN RAILWAYS


IRCON


Rail Vikas Nigam Limited


LARSEN & TOUBRO


NUVOCO
Shaping a new world


Shree
Cement


CPWD


PWD
Public Works Department
Government of West Bengal




KOLKATA PORT TRUST


National Highway Authority of India
NHAI


DRA


Shapoorji Pallonji


MONTECARLO
Building a Bright Future


बी एण्ड आर
B AND R





GOVERNMENT OF JHARKHAND


Bharat
Petroleum
energising lives


इंडियनऑयल
IndianOil


पावरग्रिड


WBSEDCL






QUALITY STANDARDS



“Quality is not an act. It is a habit.” ~Aristotle

M/S Parmeshwari Enterprises is an ISO certified company under ISO 9001: 2015. We have our paver blocks & checker tiles, BIS certified under IS Code 15658: 2021 & IS Code 13801: 2013 respectively. Along with the same, we also have a state-of-the-art lab for testing of our factory made products to meet the highest quality of parameters.

CERTIFICATIONS



भारतीय मानक ब्यूरो
उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय
भारत सरकार
BUREAU OF INDIAN STANDARDS
Ministry of Consumer Affairs, Food & Public Distribution
Government of India

सत्यमेव जयते
Government of India

Our Ref :KKBO/CM/L 5100188596 Dated: 28.12.2020

Subject: **Grant of BIS Certification Marks Licence No** 5100188596 as per IS 15658:2006.

M/s PARMESHWARI ENTERPRISES
VILL- FULBAGAN,
POST - KOSHIGRAM,
P.S - KATWA,
DISTRICT : BARDHAMAN - 713150
WEST BENGAL, INDIA

Dear Sir(s),

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

Product - Precast Concrete Blocks For Paving

Grade/Class/Type/Variety:
Precast concrete blocks for paving, Grade-M 50, non-pigmented, Single Layer, Thickness-100 mm.

As per IS 15658 : 2006

1. The licence is granted on the explicit condition that you will mark entire/substantial production which conforms to the Indian Standards.


2. The number assigned to this licence is CM/L- 5100188596 which has been made operative from 27.11.2020 and is valid upto 26.11.2021. The licence number should invariably be referred to in your future correspondence.

   According to sub-regulation (1) &(3) of Paragraph 5 of scheme I of Schedule II under Bureau of Indian Standards (Conformity of Assessment) Regulation, 2018, the annual licence fee of Rs. 1000.00 and the marking fee for use of standard mark as per Annexure-I of Scheme I of BIS(Conformity assessment) Regulation 2018 is payable by you with effect from 27.11.2020 for the period of validity of the licence in advance.

3. Minimum marking fee stipulated in Annexure -I of scheme I of BIS (Conformity Assessment) This advance minimum marking fee will be carried over to the next year on every renewal. Regulation 2018 is payable by you regardless of the whether you actually mark your product or not with the Standard Mark. **Our Receipt No.** 0051PC2020002122 dated 07.11.2020 for the licence fee and the minimum marking fee for the first operative period is already issued.

4. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher shall be payable by you at the time of renewal.

पूर्वी क्षेत्रीय कार्यालय



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

RE

Our Ref: CM/L-**5710039910**

Subject: **Grant of BIS Certification Marks Licenc**

M/s PARMESHWARI ENTERPRISES,
MOZA KOTRA, BARAKAR ROAD,
PO-KUSTAUR, PS-PURULIA,
DISTT : PURULIA,
WEST BENGAL-723101.

Dear Sir(s),

With reference to your application, we are plea
Licencehas been granted to you to use the Standard

Product: **Chequered cement concrete tiles**

i) Grade |
ii) Type |
iii) Class |
iv) Variety |

Chequered Cement Conc
Size: 300X300X25 (mm),

IS 13801: 2013

The licence is granted on the explicit condition that
conforms to the Indian Standards.

2. The number assigned to this Licence is **CM**
from **26.06.2018** and is valid up to **25.06.**
referred to in your future correspondence.

According to Sub paragraph (1) & (3) of para
(Conformity Assessment) Regulation 2018 the lice
by you vide your acceptance on CMD/PF-311 dat
26/06/2018 for the period of validity of the licence

3. Minimum Marking fee stipulated therein is
actually mark your product or not with the Standard
dated- **25/06/2018** for the licence fee and the minim
already issued.

मुख्यालय : मानक भवन, 9, बहादुरशा
HEAD OFFICE : MANAK BHAWAN, 9 BAHADU